One of the most important days of Ramex is coming. You have maybe already felt some news in the air, and here we are!





## THE NEW HAI LINE IS COMING

#### ATTRACTIVE, SEXY, SUPER PERFORMANT, NATURE ADDICTED, STRONG AND SMART:

all the best values of Ramex concentrated together.

#### WHAT'S THAT ALL ABOUT?

The new Hose Reels line of the HR series, a new design, ready to rock even the most challenging applications.

Same Ramex quality, same Ramex philosophy, but even more resistant and more appealing!

#### WHAT'S NEW?

A new design, inspired to the Automotive world and that recalls the natural lines of one of the most noble, strong and performant animals: **the shark**. The new design elements reported on the disk, give to our retractable reels a even major stability and ergonomics and an absolute identity and recognizability.



### A BOOSTER FOR THE RETRACTABLE REELS

The Hai Line encloses a range of our best seller retractable reels, all combinable with the main Ramex configurations (FE, 400, 600, 1000, BK, HD, EX, AR, OG).

Here you find all the HAI references:

HR 1000 HAI | HR 1100 HAI | HR 1020 HAI | HR 3500 HAI

SAME MATERIALS RANGE, SAME TECHNICAL FEATURES

Nothing changes in terms of main codes, materials or features. Same Ramex!

#### THE NEW SWIVEL JOINTS

#### EVEN MORE DURABLE, EVEN MORE QUALITY.

The HAI's swivels represent the last generation of our swivel joints!

Even better super quality and even more performance! They can be straightly connected to hard plumbing and they are interchangeable, so they can be assembled to any other of the Ramex Hose Reels (AV, HR, AVM, HR EK, AV EK...)!

IS THE NEW RAMEX HR HAI SERIES COMPATIBLE EVEN WITH THE CURRENT/OLD RAMEX SWIVELS AND THE WHOLE RANGE OF RAMEX SPARE PARTS KITS IN GENERAL?

#### THE ANSWER IS: OF COURSE!

All the Ramex kits and swivels can be combined and assembled to the HR HAI Line.











#### **HR 1000 HAI**

■ CODE	HR 1000 HAI
■ MATERIAL	SS304, SS316, FE, CE
■ MAX DIAMETER	1/2"
MAX HOSE LENGTH	15 mt
■ MAX PRESSURE	200 bar
■ MAX TEMPERATURE	140 °C

#### **HR 1100 HAI**

CODE	HR 1100 HAI
MATERIAL	SS304, SS316, FE, CE
DIAMETER	1/2" (only 1/2")
MAX HOSE LENGTH	20 mt
MAX PRESSURE	200 bar
MAX TEMPERATURE	140 °C

#### **HR 1020 HAI**

CODE	HR 1020 HAI
MATERIAL	SS304, SS316, FE, CE
DIAMETERS	1/4" - 5/16" - 3/8"
MAX HOSE LENGTH	20 mt
MAX PRESSURE	200 bar
MAX TEMPERATURE	140 °C

#### **HR 3500 HAI**

CODE	HR 3500 HAI
MATERIAL	SS304, SS316, FE, CE
MAX DIAMETER	1/2"
MAX HOSE LENGTH	35 mt
MAX PRESSURE	200 bar
MAX TEMPERATURE	140 °C

# DESIGNED BY THE STEEL INSPIRED BY THE NATURE

HR Hai is a Honest Line, made by a Honest company.

#### WHY HAI

"Hai" is a Finnish world that means "Shark". The caudal fin designed on the disk, transfers us directly to the nature world, made by honesty, authenticity and the innate strength of such a noble animal.

The concept of the New Hai line preserves all the qualities of the HR series, designed by the steel, where the importance of high quality materials, of a strong engineering of the shape and of the mechanic meets the design and a bright Ramex branded approach. With the HAI LINE the vision of Ramex reaches a even wider level, proposing to the market a sustainable product that respects the nature and the people, a expression of a company that is growing, giving always more importance to the research of a maximum quality, in terms of products, processes and ethic.

#### ramex.it

